## Antimicrobial resistance in the ongoing Gaza war: a silent threat

Conflicts and wars, such as those in Iraq and Svria, contribute substantially to the development and spread of antimicrobial resistance.1 In the Gaza Strip (or Gaza), such resistance is rising, with a 300% increase in resistance to specific antibiotics seen in isolates from injured patients after the Great March of Return demonstrations, compared with non-injured patients.2 War-related contributing factors to antimicrobial resistance include restricted resources, high casualties, suboptimal infection prevention control, and environmental pollution from infrastructure destruction and heavy metals release from explosives.<sup>2,3</sup> Before the start of the war on Oct 7, 2023, inadequate wastewater management in Gaza led to bacterial contamination in 34% of hospitals' water and surface samples with high resistance to antibiotics, particularly to carbapenems and cephalosporins.4 Access to essential antibiotics, primarily through donations, has been a continuous challenge due to the blockade of Gaza, resulting in availability as low as 45%.5 An already restricted national surveillance system for antimicrobial resistance adds to these challenges.

From May, 2018, to December, 2022, at Al-Awda Hospital's reconstructive surgical project in Gaza (supported by Médecins Sans Frontières), approximately 70% of positive cultures—predominantly from patients with osteomyelitiswere multidrug resistant. In 2022, around 65% of Staphylococcus aureus isolates were resistant to methicillin. and around 35% of Pseudomonas aeruainosa isolates showed resistance to ceftazidime and imipenem. Resistance mechanisms included 30% extended-spectrum beta-lactamases in Gram-negative isolates, with almost 25% of resistant Enterobacteriaceae being resistant to carbapenem (unpublished monitoring data from the Médecins Sans Frontières project in Gaza).

The current conflict in Gaza poses multiple challenges related to antimicrobial resistance. Gaza faces a constant influx of injured people with heavily contaminated wounds, mass casualties with restricted resources to manage the deceased, overcrowded hospitals with wounded patients lying on floors, and an absence of transmission-based precautions, exacerbating hospital-acquired infection transmission and community spread. Functioning hospitals have converged into sanctuaries for internally displaced people (IDPs), with Al-Shifa Hospital hosting around 50 000 IDPs, Al-Ouds Hospital 2000, and Al-Ahli Arab Hospital 3000 during the bombing on Oct 17, 2023, with a total of around 117 000 IDPs.6

This overcrowding, coupled with the breakdown of the water and sewage system due to bombings and the 1.5 million people being displaced into unhygienic cramped areas, has led to a surge in infection rates. As of Nov 1, 2023, the overwhelmed health system had treated 20 000 wounds with just 2500 beds initially available, and with only a third of hospitals functioning following fuel shortages. Consequently, heavily contaminated wounds with substantial devitalised tissue are not being operated on as frequently as needed to prevent infection. A severe shortage of medical professionals puts further strain on already exhausted staff who prioritise limb-saving and life-saving procedures over infection and antimicrobial resistance prevention. Moreover, critical shortages in basic medical equipment and essential antibiotics, along with chaos, destruction, and dysfunctional microbiological laboratories, make implementing antimicrobial stewardship an unattainable luxury.

This war poses a substantial setback to the Gaza Ministry of Health's implementation of a national action plan to combat antimicrobial

resistance, and disrupts achievement of the WHO-recommended core interventions for a people-centered approach in preventing such resistance. Immediate actions are needed to address the unfolding public health and antimicrobial resistance catastrophe in Gaza. These actions include ensuring clean and sufficient water, essential medical supplies, improvements to hospitals, and a humanitarian corridor for transferring wounded patients out of Gaza. Emergency preparedness should incorporate antimicrobial resistance prevention packages for rapid deployment and implementation during large-scale emergencies such as wars. Without prompt action, this war threatens to redefine antimicrobial resistance epidemiology in Gaza and beyond.

We declare no competing interests.

Editorial note: The Lancet Group takes a neutral position with respect to territorial claims in published text and institutional affiliations.

## \*Krystel Moussally, Ghassan Abu-Sittah, Fabiola Gordillo Gomez, Antoine Abou Fayad, Anna Farra krystel.moussally@msf.org

Médecins Sans Frontières, Operational Centre Brussels, Lebanon Branch Office, Middle East Medical Unit, Beirut 1103, Lebanon (KM, FGG, AF); Médecins Sans Frontières, Operational Centre Brussels, Gaza Mission, Gaza, Palestine (GA-S); Conflict Medicine Program, Global Health Institute, American University of Beirut, Beirut, Lebanon (GA-S); Center for Infectious Diseases Research, American University of Beirut, Beirut, Lebanon (AAF); Faculty of Medicine, Department of Experimental Pathology, Immunology and Microbiology, American University of Beirut, Beirut, Lebanon (AAF); WHO Collaborating Center for Reference and Research on Bacterial Pathogens, Beirut, Lebanon (AAF)

- Fayad AA, Rizk A, Sayed SE, et al. Antimicrobial resistance and the Iraq wars: armed conflict as an underinvestigated pathway with growing significance. BMJ Global Health 2023; 7: e010863.
- 2 Qamar AKA, Habboub TM, Elmanama AA. Antimicrobial resistance of bacteria isolated at the European Gaza Hospital before and after the Great March of Return protests: a retrospective study. Lancet 2022; 399: 514.
- Bazzi W, Abou Fayad AG, Nasser A, et al. Heavy metal toxicity in armed conflicts potentiates AMR in A baumannii by selecting for antibiotic and heavy metal co-resistance mechanisms. Front Microbiol 2020; 11: 68.



Published Online November 9, 2023 https://doi.org/10.1016/ S0140-6736(23)02508-4

Submissions should be made via our electronic submission system at http://ees.elsevier.com/ thelancet/

1

## Correspondence

- Shomar R. Gaza—AMR pilot study antimicrobial resistant bacteria in health care facilities: exploring links with WASH—final report. https://ghi.aub.edu.lb/download/31865 (accessed Oct 30, 2023).
  Alagha HZ, Al Telbani MJ. Investigating antibiotic use in Gaza Strip hospitals: a retrospective cross-sectional analysis
- a retrospective cross-sectional analysis. J Infect Dev Ctries 2022; **16:** 1739–47.
- ReliefWeb. Hostilities in the Gaza Strip and Israel: flash update #24. https://reliefweb.int/report/occupied-palestinian-territory/hostilities-gaza-strip-and-israel-flash-update-24-enarhe (accessed Nov 7, 2023).